



SW24

Skid Steer Loaders



SW24 Radial Lift Skid Steer Loader

The SW24 brings power and efficiency to any job site. This unit delivers 2,350 pounds of rated operating capacity at 50% and a lift height up to 125 inches. The machine is equipped with a 74.3 hp turbo-charged Perkins Tier IV Final engine. Available in both H-pattern and ISO joystick pilot controls, the machine can fit the preferences of any user. The ergonomically designed controls and pressurized cab delivers comfort and visibility, reducing operator fatigue.

- Standard two-speed transmission increases travel time on job sites giving the operator more time throughout the day to get more tasks completed.
- Spacious extended cab maximizes room and comfort for the operator to move inside the cab.
- Quick and easy service access from the forward tilting cab and the arrangement of internal components makes it easy to maintain this machine.
- Hydraulically driven fan operates on an as-needed basis allowing faster warm-up times of the engine and significantly reducing noise.
- Optional high flow hydraulics increases the range of usable attachments improving efficiency and productivity.

Technical specifications



SW 24

Operating data

Height top of ROPS	82 in
Overall length w/ bucket	144 in
Overall length w/o bucket	116 in
Operating weight	7,865 lb
Height Hinge Pin Max	125 in
Rated Operating Capacity 50%	2,350 lb
Dumping height at max height	95.2 in
Tipping angle (Bucket dump) w/bucket at max height	45 °
Ground clearance	9.5 in
Bucket width	74 in
Width w/o bucket	72 in
Wheelbase	46 in

Engine / Motor

Engine / Motor	Turbo-Charged Perkins 854 Tier 4 Final
Engine performance	74.3 hp
Tank capacity Fuel	24.3 US gal

Hydraulic system

Auxiliary Hydraulics- Standard Flow	22.5 US gpm
Auxiliary Hydraulics- High Flow	36 US gpm
Pressure Aux. relief	3,338 psi

Power transmission

Travel speed Low	6.8 mph
Travel speed High	11.2 mph



**WACKER
NEUSON**
all it takes!

Dimensions

Please note

that product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions.

Subject to alterations and errors excepted. Applicable also to illustrations.

Copyright © 2016 Wacker Neuson SE.